


GENERAL NOTES:

1. ALL PARKING STALLS ARE MINIMUM 3000 x 6000 WITH A 7000 DRIVE AISLE
2. GENERAL INTENT OF THE DIMENSIONS IS TO LOCATE THE PROPOSED DETACHMENT AND PARKING LAYOUT.
3. TWO VISITOR AND TWO STAFF BARRIER FREE PARKING SPACES ARE PROPOSED
 - 3.1. STAFF REQUIRE 67 PARKING, 15 FOR VISITORS AND 17 FOR OPERATIONAL VEHICLES (STORAGE OF FLEET VEHICLES NOT IN USE)
4. THEREFORE 82 PARKING SPACES ARE REQUIRED FOR STAFF & VISITORS. BY LAW REQUIRES 4 BARRIERS FREE PARKING SPACES FOR 75 OR MORE TOTAL PARKING SPACES
5. PROVIDE A MIN. 1.5 M WIDE CONCRETE APRON ALONG OVERHEAD DOORS ELEVATIONS/OPENING TO PREVENT RUTTING AT VEHICLE ENTRY
6. PROVIDE BLOCK HEATER RECEPTACLES FOR ALL STAFF & FLEET PARKING; NOT REQUIRED FOR VISITOR PARKING. OUTLETS TO BE MTD. AT 915mm ABOVE FINISH GRADE

1. PROVIDE BLOCK HEATER RECEPTACLES FOR ALL STAFF & FLEET PARKING; NOT REQUIRED FOR VISITOR PARKING. OUTLETS TO BE MTD. AT 915 mm ABOVE FINISH GRADE

PART OF LOT 40, RIVER RANGE, AND PART OF THE ORIGINAL ROAD ALLOWANCE, MCIRVINE, NOW IN THE TOWN OF FORT FRANCES, DESIGNATED AS PART 1 ON PLAN 48R-4489, BEING THE WHOLE OF PIN 56019-0144 (LT); TOGETHER WITH AN EASEMENT OVER PART OF LOT 40, RIVER RANGE, MCIRVINE, DESIGNATED AS PARTS 2, 3 AND 4 ON PLAN 48R-4489, AS IN INSTRUMENT NO. RO32815.

[illegible]