


SCALE: 1" = 20'-0"

- 5.1. ENERGY EFFICIENCY REQUIREMENTS ARE BASED ON COMPLIANCE PACKAGE "A3" FROM TABLE 3.1.1.11.A (1P) IN 9B-12 FROM THE OBC (AS AMENDED).
- 5.2.
- 5.3. WINDOWS AND SLIDING GLASS DOORS SHALL HAVE A MAXIMUM U-VALUE OF 0.25.
- 5.4. SPACE HEATING EQUIPMENT SHALL HAVE A MINIMUM AFUE OF 98%.
- 5.5. RIGID INSULATION TO BE MIN. TYPE II, EXTRUDED POLYSTYRENE, WITH A MINIMUM COMPRESSIVE STRENGTH OF 15 PSI.

SHEET TITLE: SITE PLAN & GENERAL NOTES		BCIN: 43291				SAULTEAUX CONSULTING & ENGINEERING									
PROJECT TITLE: HOUSE ADDITION BILL DALEY FORT FRANCES, ONTARIO		DATE: 13/04/25				SITE 206-207 RR#2 FORT FRANCES, ONTARIO P9A 3M3 1-807-274-7114									
DRAWN BY: J.B.		CHECKED BY: T.K.B.		PROJECT NO. 19-021		MARK		ISSUED FOR CONSTRUCTION		19/08/26					
SHEET NO.		REV. NO.						DESCRIPTION		MAY 10 2025		BY			
REVISION RECORD															