

3.18 OBNOXIOUS USES

Nothing in this By-law shall be construed to permit the **use** of land for the **erection** or **use** of a **building** or **structure** for any purpose:

- a) that is or is likely to become a nuisance or offensive:
 - i. by the creation of a noise or vibrations; or
 - ii. by reason of the emission of gas, fumes, dust or objectionable odour; or
 - iii. by reason of the unsightly storage of goods, wares, merchandise, salvage, refuse matter or other such material; and
- b) which by the nature of the materials used therein is declared under the *Public Health Act*, as amended, or any other regulations thereunder to be a noxious or offensive trade, business or manufacture

3.19 OUTSIDE STORAGE/OUTDOOR STORAGE

Where **outside storage** is a permitted **use** or a permitted **accessory use** the following provisions shall apply:

- a) storage of goods and materials including refuse containers are not permitted within 6.0 metres of a Residential zone;
- b) storage and goods and materials including refuse containers shall be permitted in the required rear yard and interior side yard; and
- c) storage areas are to be screened from the view of adjacent streets by means of solid board fencing and/or landscaping features 2.0 metres in height, nor shall any material be piled higher than the surrounding screening.

3.20 PARKING AREA REGULATIONS

Except as provided in Section 3.19, no development shall be permitted for any **use** or **building** except where vehicular off-street **parking spaces** are provided and maintained in accordance with the following regulations.


Notwithstanding the **yard** and **setback** provisions of this By-law to the contrary, uncovered surface **parking areas** shall be permitted in the **required yards** or in the area between the street line and the required **setback**.

Where in this By-law **parking areas** are required or permitted for 4 or more vehicles the following provisions shall apply:


- a) when a **building** or **structure** accommodates more than one type of **use**, the **parking space** requirement for the whole **building** shall be the sum of the requirements for the separate parts of the **building** occupied by the separate types of **use**;
- b) adequate drainage facilities shall be provided and maintained in accordance with the requirements of the **Town**;
- c) the **parking area** and approaches shall be surfaced with concrete, asphalt, double float tar and chip surface, or a combination thereof;
- d) the lights used for illumination of **parking areas** shall be so arranged and located as to divert the light away from adjacent **lots** and directed on the **parking area**;
- e) **parking areas** shall be within 90.0 meters of the location which it is intended to serve and shall be situated in the same zone;
- f) each **parking space** shall be provided with unobstructed access to a street by a driveway, aisle or **laneway**;
- g) a **buffer strip** of landscaped area not less than 3.0 metres wide lying within the **lot** and along the boundaries of the **parking area**;

- h) The length of any **parking space** and the width of the adjacent aisle shall be in accordance with the following:


| ANGLE OF PARKING SPACES | PARKING SPACE WIDTH (minimum) | PARKING SPACE LENGTH (minimum) | AISLE WIDTH (minimum) |
|-------------------------|-------------------------------|--------------------------------|-----------------------|
| 90° | 3 m | 6.0 m | 6.9 m |
| 60° | 3 m | 6.0 m | 5.5 m |
| 45° | 3 m | 6.0 m | 4.0 m |
| 30° | 3 m | 6.0 m | 3.7 m |
| Parallel | 3 m | 6.7 m | 3.0 m |




90° PARKING SPACE




60° PARKING SPACE



45° PARKING SPACE



30° PARKING SPACE



0° PARKING SPACE
(PARALLEL PARKING)

Barrier-Free Parking Spaces


Barrier-free parking spaces shall be provided at the rate specified in the table below and shall meet all specifications of the *Ontario Building Code* regarding Barrier-Free Parking Design including, at a

minimum:

- a) each barrier-free parking space shall have a minimum width of 3.7 m and a minimum length of 7 m;
- b) if two adjacent spaces are designated for the disabled, then the total width of both spaces together shall be 6.4 m if a 1.5 m wide accessible aisle separates the two spaces;
- c) if no access aisle separates the spaces, the total width of the two spaces shall be 7.4 m;
- d) barrier-free parking spaces shall be located on level ground within close proximity and access to the building entrance;
- e) barrier-free parking spaces shall be clearly marked and reserved for the exclusive use of physically disabled persons.

Required Barrier-Free Parking Spaces

| Capacity of Parking Area (Number of Parking Spaces) | Minimum Number of Barrier-Free Parking Spaces |
|--|--|
| 1-10 | 0 |
| 11-25 | 1 |
| 26-50 | 2 |
| 51-75 | 3 |
| 76-100 | 4 |
| More than 100 | 3% of total to a maximum of 10 spaces |



The **parking space** requirements referred to herein shall not apply to any **building** or **structure** lawfully in existence on the date of passage of this By-law, so long as the **gross floor area** is not increased and the **use** or number of **dwelling units** does not change. If any addition is made to a **building** or **structure** which increases its **gross floor area**, then **parking spaces** for the addition shall be provided as required by the **Parking Space Requirement Table**. Where a change in **use** occurs, **parking spaces** shall be provided for such new **use** in accordance with the requirements of the **Parking Space Requirement Table**.

Parking spaces and areas required in accordance with this By-law shall be used for the parking of operative, currently licensed vehicles only and for vehicles used in an operation incidental to the permitted uses in respect of which such **parking spaces** and areas are required or permitted.

Notwithstanding the foregoing, the owner or occupant of any **lot**, **building** or **structure** in the

Residential (R) **Zone** may **use** the **lot building** or **structure** for the parking, storing or housing of one commercial **motor vehicle** or **trailer** provided that such vehicle does not have wheelbase in excess of 5.0 metres or exceed a one ton load capacity.

Where a commercial **use** abuts or is adjacent to a navigable waterway, one third of the parking requirements may be in the form of boat slips maintained for the sole purpose of customer boat parking specifically for the commercial **use**. Such a space shall be at least 6 metres in length and have a width of 3 metres.

3.21 PARKING IN THE CENTRAL BUSINESS DISTRICT

Within a the Central Business District as shown on Schedule A, uses within the General Commercial (C2) **Zone** with the exception of **hotels, motels**, grocery stores exceeding 300 sq metres of gross floor space and residential units are exempted from providing parking.

3.22 PARKING SPACE REQUIREMENTS

Parking spaces are required under this By-law, in accordance with the **Parking Space** Requirement Table. Where the calculation of required spaces exceeds a whole space of more than .25, the required spaces shall be the next whole number.

| | |
|--|---|
| Arena, Assembly Hall | 1 per 5 seats or 3.0 m of bench seating or 1 per 4 people that may be legally accommodated at one time, whichever is greater |
| Agricultural/Farmers Market | 1 per each 28 m ² of gross floor area |
| Bowling Alley | 3 per each bowling lane |
| Office | 1 per each 28 m ² of gross floor area |
| Community centre, Recreation or Fitness Establishment | 1 per 100 m ² gross floor area |
| Curling Rink, Outdoor Recreation Facility, Sports Field | 4 per game playing surface plus 10 per 100 m ² of gross floor area used for dining or assembly area. |
| Dry Cleaners Establishment | 1 per each 9 m ² or fraction thereof of gross floor area with a minimum requirement of four spaces. |
| Farmers Market | 1 per 4 people that may be legally accommodated at one time |
| Financial Establishment | 1 per each 28 m ² of gross floor area |
| Golf Course | 24 per each 9 holes of golfing facilities |
| Home Occupation/ Home Industry | 1 in addition to the parking required for the dwelling |
| Hospital, Nursing Home & Assisted Living Facility | 1 per every two beds |
| Hotel, Motel | 1 per rental unit plus 1 additional space per 9m ² of floor area devoted to public uses |
| Industrial Uses not specifically identified | 1 per 93 m ² of gross floor area or for each 3 employees, whichever is greater |
| Marina, Seaplane Base | 1.5 per 1 boat slip and 1 per every 8 m ² of gross floor area for commercial use , exclusive of storage area |